ED

-	Application No.	Applicant(s)
Notice of Allowability	10/577,326	MITSUI ET AL.
	Examiner	Art Unit
	John Bastianelli	3753
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment of March 21, 2007.		
2. The allowed claim(s) is/are <u>1-4</u> .		
 3. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: 	been received. been received in Application No	
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	_	
1. Notice of References Cited (PTO-892)	5. Notice of Informal P	• •
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🔲 Interview Summary Paper No./Mail Dat	
 Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date ₹/24/06 	7. Examiner's Amendo	
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. X Examiner's Stateme	ent of Reasons for Allowance
or biological material	9. 🗌 Other	John
		JOHN BASTIANELLI PRIMARY EXAMINER

Application/Control Number: 10/577,326 Page 2

Art Unit: 3753

REASONS FOR ALLOWANCE

1. Claims 1-4 are allowed.

2. The following is a statement of reasons for the indication of allowable subject matter:

The primary reason for the allowance of the claims is a surface pressure applying device having the combination of at least two plate bricks with a pair of spring holders with surface pressure releasing plates with projections with a surface releasing bar with a wedge portion so that the arrangement centers align with lifting or depressing the surface pressure releasing plates to release or apply pressure and the spring holders having hooks for engaging the clamp.

Conclusion

3. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Keller, Taira, Inubushi, Tofuku, and Tinnes disclose surface releasing devices.

Bates, Fricker, Ericson, and Kernion disclose slide valves. Terao and Aliprandi disclose brick plates in a sliding valve.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John Bastianelli whose telephone number is (571) 272-4921. The examiner can normally be reached on M-Th (8-6:30).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eric Keasel can be reached on (571) 272-4929. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/577,326

Art Unit: 3753

Page 3

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

> John Bastianelli Primary Examiner

Art Unit 3753

March 22, 2007